



Focused on high-quality cable trays and support systems

For more product information, please contact us.



**BEST VALUE
THE BEST SERVICE
BETTER DELIVERY TIMES**


EC2S
ENERGY SAVING CABLE TRAY

EC2S




*ZM material, 30 years quality guarantee

Multiple perforations for ventilation and conductor fixing



The concave-convex structure increases the heat dissipation area, reducing energy consumption by 70% to 80%.



SURFACE TREATMENT

Zinc Aluminum Magnesium (ZM) Galvanized (GI) Stainless steel 304/316 (SS) Powder coating

PRODUCT DESCRIPTION

Length/mm:2000/2500/3000



Ordering Code	WxH/mm	Ordering Code	WxH/mm
EC100-50	100x50	EC400-50	400x50
EC150-50	150x50	EC500-50	500x50
EC200-50	200x50	EC600-50	600x50
EC300-50	300x50		
EC100-100	100x100	EC400-100	400x100
EC150-100	150x100	EC500-100	500x100
EC200-100	200x100	EC600-100	600x100
EC300-100	300x100		

*Custom Made: This product does not support customization.


Corrosion resistance	Large Load Capacity	-40°C / 150°C	Security

*Please contact us for special dimensions.


Solar walkway



Solar walkways are designed to assist with routine maintenance and protect floors when walked on.



Prevents components from being stepped on or collided, reducing damage to the supporting structure.



SURFACE TREATMENT

Zinc Aluminum Magnesium (ZM)

PRODUCT DESCRIPTION



Length/mm:2440

Ordering Code	WxH/mm	Ordering Code	WxH/mm
SL-300-35	300x35	SL-400-35	400x35

Corrosion resistance	Large Load Capacity	-40°C / 150°C	Security

*Please contact us for special dimensions.

Project cases

By 2025, ECTRAY has produced a total of 72 million meters of outdoor cable trays, covering more than 20 provinces and coastal cities in China, and has exported them to over 100 countries.



10.27 MW of rooftop solar power in the UK



Daily production capacity of 400 tons. Spinning project in Bangladesh.



Industrial park plant in Indonesia



Rooftop solar power project in Khon Kaen, Thailand



Rooftop solar power project in Accra, Ghana - 10.56 MWp




Dominican Republic of Canoa PV Repowering



Hong Kong-Z Slot Bridge Tiger-MA




Power plant




PPL Singapore Shipyard, 2023







**cable ladder
solar walkway**

Product brochure





**cable tray
wire mesh cable tray**



Wire Mesh Cable Tray



High load capacity: The load distributed along the mesh structure prevents sagging.



Modular and flexible construction: Made with interlocking welded wires, offering a high strength-to-weight ratio.

Surface treatment

- Galvanized (GI)
- Stainless steel 304/316 (SS)
- Powder coating
- Hot-dip galvanized

PRODUCT DESCRIPTION

Length/mm:2000/2500/3000



Ordering Code	WxH/mm	Ordering Code	WxH/mm
WM-50-50	50x50	WM-250-50	250x50
WM-100-50	100x50	WM-300-50	300x50
WM-150-50	150x50	WM-450-50	450x50
WM-200-50	200x50	WM-600-50	600x50
WM-100-100	100x100	WM-300-100	300x100
WM-150-100	150x100	WM-450-100	450x100
WM-200-100	200x100	WM-500-100	500x100
WM-250-100	250x100	WM-600-100	600x100


*Custom Made: This product does not support customization.

Corrosion resistance	Large Load Capacity	-40°C / 150°C	Security


Aluminum Alloy Ladder Cable Tray



*Engineered for longevity with
anti-corrosion and high-impact resistance.*



Altura
100/150/200(mm)



*Built with superior strength to withstand heavy
loads over long spans.*

Surface treatment

Aluminum Alloy

PRODUCT DESCRIPTION



Length/mm:3000/6000

Ordering Code	WxH/mm	Ordering Code	WxH/mm
AALCT-100-100	100x100	AALCT-400-100	400x100
AALCT-200-100	200x100	AALCT-500-100	500x100
AALCT-300-100	300x100	AALCT-600-100	600x100
AALCT-200-150	200x150	AALCT-500-150	500x150
AALCT-300-150	300x150	AALCT-600-150	600x150
AALCT-400-150	400x150		
AALCT-200-200	200x200	AALCT-500-200	500x200
AALCT-300-200	300x200	AALCT-600-200	600x200
AALCT-400-200	400x200		



*Custom Made: This product does not support customization.

ENERGY SAVING CABLE TRAY



Powder coating EC2S

It can isolate air, moisture, acid, alkali and other corrosive media, greatly extending the service life of the bridge.



can be customized in a variety of colors

Color-Coded for Application

	Fire-fighting		Monitoring
	Security		Alarm
	Communication		Network
	High-voltage		

PRODUCT DESCRIPTION



Length/mm:2000/2500/3000

Ordering Code	WxH/mm	Ordering Code	WxH/mm
EC100-50	100x50	EC400-50	400x50
EC150-50	150x50	EC500-50	500x50
EC200-50	200x50	EC600-50	600x50
EC300-50	300x50		
EC100-100	100x100	EC400-100	400x100
EC150-100	150x100	EC500-100	500x100
EC200-100	200x100	EC600-100	600x100
EC300-100	300x100		

*Please contact us for special dimensions.